



THE STATE  
of **ALASKA**  
GOVERNOR MIKE DUNLEAVY

Department of Environmental  
Conservation

DIVISION OF SPILL PREVENTION AND RESPONSE  
Contaminated Sites Program  
Laboratory Approval Program

555 Cordova Street  
Anchorage, Alaska 99501  
Main: 907.465.5390  
Fax: 907.269.7649  
cs.lab.cert@alaska.gov

December 10, 2018

Julie Ellingson  
ALS Environmental - Fort Collins  
225 Commerce Drive  
Fort Collins, CO 80524

RE: Contaminated Sites Laboratory Approval **17-003**

Dear Ms. Ellingson,

Thank you for submitting an application to the Alaska Department of Environmental Conservation's Contaminated Sites Laboratory Approval Program (CS-LAP), on August 14, 2018. Based on your lab's National Environmental Laboratory Accreditation Program (NELAP) approval through the Utah Department of Health (UT DoH), ALS Environmental - Fort Collins, located at the above address, is granted **Approved** status to perform the analyses listed in the attached *Scope of Approval*, for Alaska contaminated sites projects, including underground storage tanks and leaking underground storage tank sites (UST/LUST), under the July 1, 2017 amendments to 18 AAC 78. This approval is effective November 30, 2018, and expires on **November 30, 2019**.

Be aware that **any** changes in your NELAP approval status must be reported to the CS program within 3 business days. Failure to do so will result in revocation of **all** CS-LAP approvals for a period of one year. Notification should be in writing sent to [cs.lab.cert@alaska.gov](mailto:cs.lab.cert@alaska.gov). We recommend also contacting the CS-LAP by telephone to verify that the message was received.

To report any changes in your lab's contact information (i.e. lab director, business name, location, etc.), please complete the form found at <http://dec.alaska.gov/spar/csp/LabApproval/ApplyForApproval.htm> and submit to [cs.submittals@alaska.gov](mailto:cs.submittals@alaska.gov).

To apply for renewal of your approval, please complete the application found at <http://dec.alaska.gov/spar/csp/LabApproval/ApplyForApproval.htm> and submit to [cs.submittals@alaska.gov](mailto:cs.submittals@alaska.gov). The required documentation must be submitted for renewal no later than 30 days before your date of expiration.

Please remember to include the laboratory's ID number, listed above, on all correspondence concerning the laboratory.

If you have any questions, please contact the CS-LAP at (907) 465-5390, or by email at [cs.lab.cert@alaska.gov](mailto:cs.lab.cert@alaska.gov). Labs are also highly encouraged to join the CS-LAP listserv by going to <http://list.state.ak.us/mailman/listinfo/cs.lab.approval>.

Respectfully,

A handwritten signature in blue ink that reads "Brian Englund". The signature is written in a cursive style.

Brian Englund  
Alaska CS Lab Approval Officer

Attachment: Scope of Approval

**Scope of Approval – X indicates approved methods**

Hazardous Substance	CAS Number	Analysis Method	Sample Matrix			Accrediting Body
			Soil	Water	Air	
<b>Arsenic, Inorganic</b>	7440-38-2	6010D	<b>X</b>	<b>X</b>	---	UT DoH
<b>Barium</b>	7440-39-3	6010D	<b>X</b>	<b>X</b>	---	UT DoH
<b>Cadmium</b>	7440-43-9	6010D	<b>X</b>	<b>X</b>	---	UT DoH
<b>Chromium (Total)</b>	7440-47-3	6010D	<b>X</b>	<b>X</b>	---	UT DoH
<b>Lead, Total</b>	7439-92-1	6010D	<b>X</b>	<b>X</b>	---	UT DoH
<b>Nickel, Total</b>	7440-02-0	6010D	<b>X</b>	<b>X</b>	---	UT DoH
<b>Vanadium, Total</b>	7440-62-2	6010D	<b>X</b>	<b>X</b>	---	UT DoH