



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

(Hereinafter called the Organization) and hereby declares that Organization has met the requirements of ISO/IEC 17025:2005 “General Requirements for the competence of Testing and Calibration Laboratories” and the DoD Quality Systems Manual for Environmental Laboratories Version 5.1 January 2017 and is accredited in accordance with the:

United States Department of Defense Environmental Laboratory Accreditation Program (DoD-ELAP)

***This accreditation demonstrates technical competence for the defined scope:
Environmental Testing
(As detailed in the supplement)***

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body’s duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President/Operations Manager

Initial Accreditation Date:

January 22, 2010

Issue Date:

February 4, 2018

Expiration Date:

March 31, 2020

Accreditation No.:

65817

Certificate No.:

L18-62

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjilabs.com



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
 Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	ASTM D6919	IC	Ammonia
Aqueous	EPA 200.7	ICP	Aluminum
Aqueous	EPA 200.7	ICP	Antimony
Aqueous	EPA 200.7	ICP	Arsenic
Aqueous	EPA 200.7	ICP	Barium
Aqueous	EPA 200.7	ICP	Beryllium
Aqueous	EPA 200.7	ICP	Boron
Aqueous	EPA 200.7	ICP	Cadmium
Aqueous	EPA 200.7	ICP	Calcium
Aqueous	EPA 200.7	ICP	Chromium
Aqueous	EPA 200.7	ICP	Cobalt
Aqueous	EPA 200.7	ICP	Copper
Aqueous	EPA 200.7	ICP	Iron
Aqueous	EPA 200.7	ICP	Lead
Aqueous	EPA 200.7	ICP	Magnesium
Aqueous	EPA 200.7	ICP	Manganese
Aqueous	EPA 200.7	ICP	Molybdenum
Aqueous	EPA 200.7	ICP	Nickel
Aqueous	EPA 200.7	ICP	Potassium
Aqueous	EPA 200.7	ICP	Selenium
Aqueous	EPA 200.7	ICP	Silver
Aqueous	EPA 200.7	ICP	Sodium
Aqueous	EPA 200.7	ICP	Strontium
Aqueous	EPA 200.7	ICP	Thallium
Aqueous	EPA 200.7	ICP	Tin
Aqueous	EPA 200.7	ICP	Titanium
Aqueous	EPA 200.7	ICP	Vanadium
Aqueous	EPA 200.7	ICP	Zinc
Aqueous	EPA 200.8	ICP/MS	Aluminum
Aqueous	EPA 200.8	ICP/MS	Antimony
Aqueous	EPA 200.8	ICP/MS	Arsenic
Aqueous	EPA 200.8	ICP/MS	Barium
Aqueous	EPA 200.8	ICP/MS	Beryllium
Aqueous	EPA 200.8	ICP/MS	Cadmium



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
 Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 200.8	ICP/MS	Chromium
Aqueous	EPA 200.8	ICP/MS	Cobalt
Aqueous	EPA 200.8	ICP/MS	Copper
Aqueous	EPA 200.8	ICP/MS	Lead
Aqueous	EPA 200.8	ICP/MS	Manganese
Aqueous	EPA 200.8	ICP/MS	Nickel
Aqueous	EPA 200.8	ICP/MS	Selenium
Aqueous	EPA 200.8	ICP/MS	Silver
Aqueous	EPA 200.8	ICP/MS	Thallium
Aqueous	EPA 200.8	ICP/MS	Vanadium
Aqueous	EPA 200.8	ICP/MS	Zinc
Aqueous	EPA 218.6	IC-UV	Chromium, Hexavalent
Aqueous	EPA 245.1	CVAA	Mercury
Aqueous	EPA 300.0	IC	Bromide
Aqueous	EPA 300.0	IC	Chloride
Aqueous	EPA 300.0	IC	Fluoride
Aqueous	EPA 300.0	IC	Nitrate
Aqueous	EPA 300.0	IC	Nitrite
Aqueous	EPA 300.0	IC	Sulfate
Aqueous	EPA 335.4	Colorimetric	Cyanide
Aqueous	EPA 351.2	Colorimetric	TKN
Aqueous	EPA 410.4	Colorimetric	COD
Aqueous	EPA 420.4	Colorimetric	Phenols
Aqueous	EPA 608	GC/ECD	4,4-DDD
Aqueous	EPA 608	GC/ECD	4,4-DDE
Aqueous	EPA 608	GC/ECD	4,4-DDT
Aqueous	EPA 608	GC/ECD	a-BHC
Aqueous	EPA 608	GC/ECD	Aldrin
Aqueous	EPA 608	GC/ECD	Alpha-chlordane
Aqueous	EPA 608	GC/ECD	Aroclor 1016
Aqueous	EPA 608	GC/ECD	Aroclor 1221
Aqueous	EPA 608	GC/ECD	Aroclor 1232
Aqueous	EPA 608	GC/ECD	Aroclor 1242
Aqueous	EPA 608	GC/ECD	Aroclor 1248
Aqueous	EPA 608	GC/ECD	Aroclor 1254
Aqueous	EPA 608	GC/ECD	Aroclor 1260



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
 Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 608	GC/ECD	b-BHC
Aqueous	EPA 608	GC/ECD	Chlordane
Aqueous	EPA 608	GC/ECD	d-BHC
Aqueous	EPA 608	GC/ECD	Dieldrin
Aqueous	EPA 608	GC/ECD	Endosulfan I
Aqueous	EPA 608	GC/ECD	Endosulfan II
Aqueous	EPA 608	GC/ECD	Endosulfan sulfate
Aqueous	EPA 608	GC/ECD	Endrin
Aqueous	EPA 608	GC/ECD	Endrin aldehyde
Aqueous	EPA 608	GC/ECD	Endrin ketone
Aqueous	EPA 608	GC/ECD	Gamma-chlordane
Aqueous	EPA 608	GC/ECD	g-BHC
Aqueous	EPA 608	GC/ECD	Heptachlor
Aqueous	EPA 608	GC/ECD	Heptachlor epoxide
Aqueous	EPA 608	GC/ECD	Methoxychlor
Aqueous	EPA 608	GC/ECD	Toxaphene
Aqueous	EPA 624	GC/MS	1,1,1,2-Tetrachloroethane
Aqueous	EPA 624	GC/MS	1,1,1-Trichloroethane
Aqueous	EPA 624	GC/MS	1,1,2-Trichloroethane
Aqueous	EPA 624	GC/MS	1,1,2,2-Tetrachloroethane
Aqueous	EPA 624	GC/MS	1,1-Dichloroethane
Aqueous	EPA 624	GC/MS	1,1-Dichloroethylene
Aqueous	EPA 624	GC/MS	1,1-Dichloropropene
Aqueous	EPA 624	GC/MS	1,2-Dichloropropane
Aqueous	EPA 624	GC/MS	1,2,3-Trichlorobenzene
Aqueous	EPA 624	GC/MS	1,2,3-Trichloropropane
Aqueous	EPA 624	GC/MS	1,2,4-Trichlorobenzene
Aqueous	EPA 624	GC/MS	1,2,4-Trimethylbenzene
Aqueous	EPA 624	GC/MS	1,2-Dibromo-3-chloropropane
Aqueous	EPA 624	GC/MS	1,2-Dibromoethane
Aqueous	EPA 624	GC/MS	1,2-Dichlorobenzene
Aqueous	EPA 624	GC/MS	1,2-Dichloroethane
Aqueous	EPA 624	GC/MS	1,3,5-Trimethylbenzene
Aqueous	EPA 624	GC/MS	1,3-Dichlorobenzene
Aqueous	EPA 624	GC/MS	1,3-Dichloropropane
Aqueous	EPA 624	GC/MS	1,4-Dichlorobenzene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
 Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 624	GC/MS	2,2-Dichloropropane
Aqueous	EPA 624	GC/MS	2-Butanone (MEK)
Aqueous	EPA 624	GC/MS	2-Chloroethylvinyl ether
Aqueous	EPA 624	GC/MS	2-Chlorotoluene
Aqueous	EPA 624	GC/MS	2-Hexanone
Aqueous	EPA 624	GC/MS	4-Chlorotoluene
Aqueous	EPA 624	GC/MS	4-Isopropyltoluene
Aqueous	EPA 624	GC/MS	4-Methyl-2-pentanone (MIBK)
Aqueous	EPA 624	GC/MS	Acetone
Aqueous	EPA 624	GC/MS	Benzene
Aqueous	EPA 624	GC/MS	Bromobenzene
Aqueous	EPA 624	GC/MS	Bromochloromethane
Aqueous	EPA 624	GC/MS	Bromodichloromethane
Aqueous	EPA 624	GC/MS	Bromoform
Aqueous	EPA 624	GC/MS	Bromomethane
Aqueous	EPA 624	GC/MS	Carbon disulfide
Aqueous	EPA 624	GC/MS	Carbon tetrachloride
Aqueous	EPA 624	GC/MS	Chlorobenzene
Aqueous	EPA 624	GC/MS	Chloroethane
Aqueous	EPA 624	GC/MS	Chloroform
Aqueous	EPA 624	GC/MS	Chloromethane
Aqueous	EPA 624	GC/MS	cis-1,2-Dichloroethene
Aqueous	EPA 624	GC/MS	cis-1,3-Dichloropropene
Aqueous	EPA 624	GC/MS	Cyclohexane
Aqueous	EPA 624	GC/MS	Dibromochloromethane
Aqueous	EPA 624	GC/MS	Dibromomethane
Aqueous	EPA 624	GC/MS	Dichlorodifluoromethane (Freon 12)
Aqueous	EPA 624	GC/MS	Ethylbenzene
Aqueous	EPA 624	GC/MS	Isopropylbenzene
Aqueous	EPA 624	GC/MS	m- + p-Xylene
Aqueous	EPA 624	GC/MS	Methyl acetate
Aqueous	EPA 624	GC/MS	Methylene Chloride
Aqueous	EPA 624	GC/MS	Methyl-tert-butyl ether (MTBE)
Aqueous	EPA 624	GC/MS	Naphthalene
Aqueous	EPA 624	GC/MS	N-butylbenzene
Aqueous	EPA 624	GC/MS	N-propylbenzene



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 624	GC/MS	o-Xylene
Aqueous	EPA 624	GC/MS	sec-butylbenzene
Aqueous	EPA 624	GC/MS	Styrene
Aqueous	EPA 624	GC/MS	tert-butylbenzene
Aqueous	EPA 624	GC/MS	Tetrachloroethene
Aqueous	EPA 624	GC/MS	Toluene
Aqueous	EPA 624	GC/MS	trans-1,2-Dichloroethene
Aqueous	EPA 624	GC/MS	trans-1,3-Dichloropropene
Aqueous	EPA 624	GC/MS	Trichloroethylene
Aqueous	EPA 624	GC/MS	Trichlorofluoromethane (Freon 11)
Aqueous	EPA 624	GC/MS	Vinyl chloride
Aqueous	EPA 624	GC/MS	Xylenes, total
Aqueous	EPA 625	GC/MS	1,2,4-Trichlorobenzene
Aqueous	EPA 625	GC/MS	1,2,4,5-Tetrachlorobenzene
Aqueous	EPA 625	GC/MS	1,2-Dichlorobenzene
Aqueous	EPA 625	GC/MS	1,2-Diphenylhydrazine
Aqueous	EPA 625	GC/MS	1,3-Dichlorobenzene
Aqueous	EPA 625	GC/MS	1,4-Dichlorobenzene
Aqueous	EPA 625	GC/MS	2,2-oxybis(1-chloropropane)
Aqueous	EPA 625	GC/MS	2,4,5-Trichlorophenol
Aqueous	EPA 625	GC/MS	2,4,6-Trichlorophenol
Aqueous	EPA 625	GC/MS	2,4-Dichlorophenol
Aqueous	EPA 625	GC/MS	2,4-Dimethylphenol
Aqueous	EPA 625	GC/MS	2,4-Dinitrophenol
Aqueous	EPA 625	GC/MS	2,4-Dinitrotoluene
Aqueous	EPA 625	GC/MS	2,6-Dinitrotoluene
Aqueous	EPA 625	GC/MS	2-Chloronaphthalene
Aqueous	EPA 625	GC/MS	2-Chlorophenol
Aqueous	EPA 625	GC/MS	2-Methylnaphthalene
Aqueous	EPA 625	GC/MS	2-Methylphenol
Aqueous	EPA 625	GC/MS	2-Nitroaniline
Aqueous	EPA 625	GC/MS	2-Nitrophenol
Aqueous	EPA 625	GC/MS	3,3'-Dichlorobenzidine
Aqueous	EPA 625	GC/MS	3+4-Methylphenol
Aqueous	EPA 625	GC/MS	3-Nitroaniline
Aqueous	EPA 625	GC/MS	4,6-Dinitro-2-methylphenol



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 625	GC/MS	4-Bromophenyl-phenylether
Aqueous	EPA 625	GC/MS	4-Chloro-3-methylphenol
Aqueous	EPA 625	GC/MS	4-Chloroaniline
Aqueous	EPA 625	GC/MS	4-Chlorophenyl-phenylether
Aqueous	EPA 625	GC/MS	4-Nitroaniline
Aqueous	EPA 625	GC/MS	4-Nitrophenol
Aqueous	EPA 625	GC/MS	Acenaphthene
Aqueous	EPA 625	GC/MS	Acenaphthylene
Aqueous	EPA 625	GC/MS	Acetophenone
Aqueous	EPA 625	GC/MS	Anthracene
Aqueous	EPA 625	GC/MS	Benzidine
Aqueous	EPA 625	GC/MS	Benzo(a)anthracene
Aqueous	EPA 625	GC/MS	Benzo(a)pyrene
Aqueous	EPA 625	GC/MS	Benzo(b)fluoranthene
Aqueous	EPA 625	GC/MS	Benzo(g,h,i)perylene
Aqueous	EPA 625	GC/MS	Benzo(k)fluoranthene
Aqueous	EPA 625	GC/MS	Benzoic acid
Aqueous	EPA 625	GC/MS	Benzyl alcohol
Aqueous	EPA 625	GC/MS	Bis(-2-chloroethoxy)methane
Aqueous	EPA 625	GC/MS	Bis(2-chloroethyl)ether
Aqueous	EPA 625	GC/MS	Bis(2-ethylhexyl)phthalate
Aqueous	EPA 625	GC/MS	Butyl benzyl phthalate
Aqueous	EPA 625	GC/MS	Carbazole
Aqueous	EPA 625	GC/MS	Chrysene
Aqueous	EPA 625	GC/MS	Dibenzo(a,h)anthracene
Aqueous	EPA 625	GC/MS	Dibenzofuran
Aqueous	EPA 625	GC/MS	Diethylphthalate
Aqueous	EPA 625	GC/MS	Dimethyl phthalate
Aqueous	EPA 625	GC/MS	Di-n-butylphthalate
Aqueous	EPA 625	GC/MS	Di-n-octyl phthalate
Aqueous	EPA 625	GC/MS	Fluoranthene
Aqueous	EPA 625	GC/MS	Fluorene
Aqueous	EPA 625	GC/MS	Hexachlorobenzene
Aqueous	EPA 625	GC/MS	Hexachlorobutadiene
Aqueous	EPA 625	GC/MS	Hexachlorocyclopentadiene
Aqueous	EPA 625	GC/MS	Hexachloroethane



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 625	GC/MS	Indeno(1,2,3-cd)pyrene
Aqueous	EPA 625	GC/MS	Isophorone
Aqueous	EPA 625	GC/MS	Naphthalene
Aqueous	EPA 625	GC/MS	Nitrobenzene
Aqueous	EPA 625	GC/MS	N-nitrosodiethylamine
Aqueous	EPA 625	GC/MS	N-nitrosodimethylamine
Aqueous	EPA 625	GC/MS	N-nitroso-di-n-propylamine
Aqueous	EPA 625	GC/MS	N-nitrosodiphenylamine
Aqueous	EPA 625	GC/MS	Pentachlorophenol
Aqueous	EPA 625	GC/MS	Phenanthrene
Aqueous	EPA 625	GC/MS	Phenol
Aqueous	EPA 625	GC/MS	Pyrene
Aqueous	EPA 625	GC/MS	Pyridine
Aqueous	EPA 7470A	CVAA	Mercury
Aqueous	EPA 8081B	GC-ECD	Hexachlorobenzene
Aqueous	EPA 8151A	GC-ECD	Dinoseb
Aqueous	EPA 8270D	GC-MS-SIM	1,4-Dioxane
Aqueous	EPA 9012B	Colorimetric	Cyanide
Aqueous	EPA 9040C	pH Meter	pH
Aqueous	EPA 9040C	POT	pH
Aqueous	EPA 9056A	IC	Bromide
Aqueous	EPA 9056A	IC	Chloride
Aqueous	EPA 9056A	IC	Fluoride
Aqueous	EPA 9056A	IC	Nitrate
Aqueous	EPA 9056A	IC	Nitrite
Aqueous	EPA 9056A	IC	Sulfate
Aqueous	EPA 9060A	TOC Meter	TOC
Aqueous	EPA 9066	Colorimetric	Phenols
Aqueous	RSK-175	GC-FID	Acetylene
Aqueous	RSK-175	GC-FID	Ethane
Aqueous	RSK-175	GC-FID	Ethylene
Aqueous	RSK-175	GC-FID	Methane
Aqueous	RSK-175	GC-FID	Propane
Aqueous	SM 2320B	Titrimetric	Alkalinity
Aqueous	SM 2340B	ICP-AES	Hardness by calculation
Aqueous	SM 2540B	Gravimetric	TS



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
 Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	SM 2540C	Gravimetric	TDS
Aqueous	SM 2540D	Gravimetric	TSS
Aqueous	SM 3500 Fe D	Colorimetric	Ferrous Iron
Aqueous	SM 4500 H + B	Electrochemical	pH
Aqueous	SM 4500 S2F	Titrimetric	Sulfide
Aqueous	SM 5210B	Electrochemical	BOD/CBOD
Aqueous	SM 5310C	TOC Meter	TOC
Aqueous	SM 2540E	Gravimetric	TVS
Solid	EPA 7471B	CVAA	Mercury
Solid	EPA 9045D	Electrochemical	pH
Solid	EPA Lloyd Kahn	TOC Meter	Total organic carbon
Solid	ALS SOP GEN-DWPS	Gravimetric	Percent Solid
Aqueous/Solid	EPA 6010C	ICP-AES	Aluminum
Aqueous/Solid	EPA 6010C	ICP-AES	Antimony
Aqueous/Solid	EPA 6010C	ICP-AES	Arsenic
Aqueous/Solid	EPA 6010C	ICP-AES	Barium
Aqueous/Solid	EPA 6010C	ICP-AES	Beryllium
Aqueous/Solid	EPA 6010C	ICP-AES	Boron
Aqueous/Solid	EPA 6010C	ICP-AES	Cadmium
Aqueous/Solid	EPA 6010C	ICP-AES	Calcium
Aqueous/Solid	EPA 6010C	ICP-AES	Chromium
Aqueous/Solid	EPA 6010C	ICP-AES	Cobalt
Aqueous/Solid	EPA 6010C	ICP-AES	Copper
Aqueous/Solid	EPA 6010C	ICP-AES	Iron
Aqueous/Solid	EPA 6010C	ICP-AES	Lead
Aqueous/Solid	EPA 6010C	ICP-AES	Magnesium
Aqueous/Solid	EPA 6010C	ICP-AES	Manganese
Aqueous/Solid	EPA 6010C	ICP-AES	Molybdenum
Aqueous/Solid	EPA 6010C	ICP-AES	Nickel
Aqueous/Solid	EPA 6010C	ICP-AES	Potassium
Aqueous/Solid	EPA 6010C	ICP-AES	Selenium
Aqueous/Solid	EPA 6010C	ICP-AES	Silver
Aqueous/Solid	EPA 6010C	ICP-AES	Sodium
Aqueous/Solid	EPA 6010C	ICP-AES	Strontium
Aqueous/Solid	EPA 6010C	ICP-AES	Thallium
Aqueous/Solid	EPA 6010C	ICP-AES	Tin



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 6010C	ICP-AES	Titanium
Aqueous/Solid	EPA 6010C	ICP-AES	Vanadium
Aqueous/Solid	EPA 6010C	ICP-AES	Zinc
Aqueous/Solid	EPA 6020A	ICP/MS	Aluminum
Aqueous/Solid	EPA 6020A	ICP-MS	Antimony
Aqueous/Solid	EPA 6020A	ICP-MS	Arsenic
Aqueous/Solid	EPA 6020A	ICP-MS	Barium
Aqueous/Solid	EPA 6020A	ICP-MS	Beryllium
Aqueous/Solid	EPA 6020A	ICP-MS	Cadmium
Aqueous/Solid	EPA 6020A	ICP-MS	Chromium
Aqueous/Solid	EPA 6020A	ICP-MS	Cobalt
Aqueous/Solid	EPA 6020A	ICP-MS	Copper
Aqueous/Solid	EPA 6020A	ICP-MS	Lead
Aqueous/Solid	EPA 6020A	ICP-MS	Manganese
Aqueous/Solid	EPA 6020A	ICP-MS	Nickel
Aqueous/Solid	EPA 6020A	ICP-MS	Selenium
Aqueous/Solid	EPA 6020A	ICP-MS	Silver
Aqueous/Solid	EPA 6020A	ICP-MS	Thallium
Aqueous/Solid	EPA 6020A	ICP-MS	Vanadium
Aqueous/Solid	EPA 6020A	ICP-MS	Zinc
Aqueous/Solid	EPA 7199	IC-UV	Chromium, hexavalent
Aqueous/Solid	EPA 8081B	GC-ECD	4,4'-DDD
Aqueous/Solid	EPA 8081B	GC-ECD	4,4'-DDE
Aqueous/Solid	EPA 8081B	GC-ECD	4,4'-DDT
Aqueous/Solid	EPA 8081B	GC-ECD	a-BHC
Aqueous/Solid	EPA 8081B	GC-ECD	Aldrin
Aqueous/Solid	EPA 8081B	GC-ECD	Alpha-chlordane
Aqueous/Solid	EPA 8081B	GC-ECD	b-BHC
Aqueous/Solid	EPA 8081B	GC-ECD	Chlordane, technical
Aqueous/Solid	EPA 8081B	GC-ECD	d-BHC
Aqueous/Solid	EPA 8081B	GC-ECD	Dieldrin
Aqueous/Solid	EPA 8081B	GC-ECD	Endosulfan I
Aqueous/Solid	EPA 8081B	GC-ECD	Endosulfan II
Aqueous/Solid	EPA 8081B	GC-ECD	Endosulfan sulfate
Aqueous/Solid	EPA 8081B	GC-ECD	Endrin
Aqueous/Solid	EPA 8081B	GC-ECD	Endrin aldehyde



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
 Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8081B	GC-ECD	Endrin ketone
Aqueous/Solid	EPA 8081B	GC-ECD	Gamma-BHC (Lindane)
Aqueous/Solid	EPA 8081B	GC-ECD	Gamma-chlordane
Aqueous/Solid	EPA 8081B	GC-ECD	Heptachlor
Aqueous/Solid	EPA 8081B	GC-ECD	Heptachlor epoxide
Aqueous/Solid	EPA 8081B	GC-ECD	Methoxychlor
Aqueous/Solid	EPA 8081B	GC-ECD	Toxaphene
Aqueous/Solid	EPA 8082A	GC-ECD	PCB 1016
Aqueous/Solid	EPA 8082A	GC-ECD	PCB 1221
Aqueous/Solid	EPA 8082A	GC-ECD	PCB 1232
Aqueous/Solid	EPA 8082A	GC-ECD	PCB 1242
Aqueous/Solid	EPA 8082A	GC-ECD	PCB 1248
Aqueous/Solid	EPA 8082A	GC-ECD	PCB 1254
Aqueous/Solid	EPA 8082A	GC-ECD	PCB 1260
Aqueous/Solid	EPA 8082A	GC-ECD	PCB 1268
Aqueous/Solid	EPA 8151A	GC-ECD	2,4,5-T
Aqueous/Solid	EPA 8151A	GC-ECD	2,4,5-TP
Aqueous/Solid	EPA 8151A	GC-ECD	2,4-D
Aqueous/Solid	EPA 8151A	GC-ECD	Dicamba
Aqueous/Solid	EPA 8151A	GC-ECD	Pentachlorophenol (PCP)
Aqueous/Solid	EPA 8260C	GC-MS	1,1,1,2-Tetrachloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1,1-Trichloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1,2,2-Tetrachloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)
Aqueous/Solid	EPA 8260C	GC-MS	1,1,2-Trichloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1-Dichloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1-Dichloroethene
Aqueous/Solid	EPA 8260C	GC-MS	1,1-Dichloropropene
Aqueous/Solid	EPA 8260C	GC-MS	1,2,3-Trichlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,2,3-Trichloropropane
Aqueous/Solid	EPA 8260C	GC-MS	1,2,4-Trichlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,2,4-Trimethylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dibromo-3-chloropropane
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dibromoethane
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dichlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dichloroethane



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
 Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dichloroethene, total
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dichloropropane
Aqueous/Solid	EPA 8260C	GC-MS	1,3,5-Trimethylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,3-Dichlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,3-Dichloropropane
Aqueous/Solid	EPA 8260C	GC-MS	1,4-Dichlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	2,2-Dichloropropane
Aqueous/Solid	EPA 8260C	GC-MS	2-Butanone (MEK)
Aqueous/Solid	EPA 8260C	GC-MS	2-Chloroethylvinyl ether
Aqueous/Solid	EPA 8260C	GC-MS	2-Chlorotoluene
Aqueous/Solid	EPA 8260C	GC-MS	2-Hexanone
Aqueous/Solid	EPA 8260C	GC-MS	4-Chlorotoluene
Aqueous/Solid	EPA 8260C	GC-MS	4-Isopropyltoluene
Aqueous/Solid	EPA 8260C	GC-MS	4-Methyl-2-pentanone (MIBK)
Aqueous/Solid	EPA 8260C	GC-MS	Acetone
Aqueous/Solid	EPA 8260C	GC-MS	Benzene
Aqueous/Solid	EPA 8260C	GC-MS	Bromobenzene
Aqueous/Solid	EPA 8260C	GC-MS	Bromochloromethane
Aqueous/Solid	EPA 8260C	GC-MS	Bromodichloromethane
Aqueous/Solid	EPA 8260C	GC-MS	Bromoform
Aqueous/Solid	EPA 8260C	GC-MS	Bromomethane
Aqueous/Solid	EPA 8260C	GC-MS	Carbon disulfide
Aqueous/Solid	EPA 8260C	GC-MS	Carbon tetrachloride
Aqueous/Solid	EPA 8260C	GC-MS	Chlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	Chloroethane
Aqueous/Solid	EPA 8260C	GC-MS	Chloroform
Aqueous/Solid	EPA 8260C	GC-MS	Chloromethane
Aqueous/Solid	EPA 8260C	GC-MS	cis-1,2-Dichloroethene
Aqueous/Solid	EPA 8260C	GC-MS	cis-1,3-Dichloropropene
Aqueous/Solid	EPA 8260C	GC-MS	Cyclohexane
Aqueous/Solid	EPA 8260C	GC-MS	Dibromochloromethane
Aqueous/Solid	EPA 8260C	GC-MS	Dibromomethane
Aqueous/Solid	EPA 8260C	GC-MS	Dichlorodifluoromethane (Freon 12)
Aqueous/Solid	EPA 8260C	GC-MS	Dichloromethane
Aqueous/Solid	EPA 8260C	GC-MS	Ethylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	Hexachlorobutadiene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
 Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8260C	GC-MS	Isopropylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	m- + p-Xylene
Aqueous/Solid	EPA 8260C	GC-MS	Methyl acetate
Aqueous/Solid	EPA 8260C	GC-MS	Methylcyclohexane
Aqueous/Solid	EPA 8260C	GC-MS	Methyl-tert-butyl ether (MTBE)
Aqueous/Solid	EPA 8260C	GC-MS	Naphthalene
Aqueous/Solid	EPA 8260C	GC-MS	N-butylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	N-propylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	o-Xylene
Aqueous/Solid	EPA 8260C	GC-MS	sec-butylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	Styrene
Aqueous/Solid	EPA 8260C	GC-MS	tert-butylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	Tetrachloroethene
Aqueous/Solid	EPA 8260C	GC-MS	Toluene
Aqueous/Solid	EPA 8260C	GC-MS	trans-1,2-Dichloroethene
Aqueous/Solid	EPA 8260C	GC-MS	trans-1,3-Dichloropropene
Aqueous/Solid	EPA 8260C	GC-MS	Trichloroethene
Aqueous/Solid	EPA 8260C	GC-MS	Trichlorofluoromethane (Freon 11)
Aqueous/Solid	EPA 8260C	GC-MS	Vinyl chloride
Aqueous/Solid	EPA 8260C	GC-MS	Xylenes, total
Aqueous/Solid	EPA 8270D	GC-MS	1,2,4,5-Tetrachlorobenzene
Aqueous/Solid	EPA 8270D	GC-MS	1,2,4-Trichlorobenzene
Aqueous/Solid	EPA 8270D	GC-MS	1,2-Dichlorobenzene
Aqueous/Solid	EPA 8270D	GC-MS	1,2-Diphenylhydrazine
Aqueous/Solid	EPA 8270D	GC-MS	1,3-Dichlorobenzene
Aqueous/Solid	EPA 8270D	GC-MS	1,4-Dichlorobenzene
Aqueous/Solid	EPA 8270D	GC-MS	1-Methylnaphthalene
Aqueous/Solid	EPA 8270D	GC-MS	2,3,4,6-Tetrachlorophenol
Aqueous/Solid	EPA 8270D	GC-MS	2,4,5-Trichlorophenol
Aqueous/Solid	EPA 8270D	GC-MS	2,4,6-Trichlorophenol
Aqueous/Solid	EPA 8270D	GC-MS	2,4-Dichlorophenol
Aqueous/Solid	EPA 8270D	GC-MS	2,4-Dimethylphenol
Aqueous/Solid	EPA 8270D	GC-MS	2,4-Dinitrophenol
Aqueous/Solid	EPA 8270D	GC-MS	2,4-Dinitrotoluene
Aqueous/Solid	EPA 8270D	GC-MS	2,6-Dichlorophenol
Aqueous/Solid	EPA 8270D	GC-MS	2,6-Dinitrotoluene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
 Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8270D	GC-MS	2-Chloronaphthalene
Aqueous/Solid	EPA 8270D	GC-MS	2-Chlorophenol
Aqueous/Solid	EPA 8270D	GC-MS	2-Methylnaphthalene
Aqueous/Solid	EPA 8270D	GC-MS	2-Methylphenol
Aqueous/Solid	EPA 8270D	GC-MS	2-Nitroaniline
Aqueous/Solid	EPA 8270D	GC-MS	2-Nitrophenol
Aqueous/Solid	EPA 8270D	GC-MS	2,2'-Oxybis(1-chloropropane)
Aqueous/Solid	EPA 8270D	GC-MS	3,3'-Dichlorobenzidine
Aqueous/Solid	EPA 8270D	GC-MS	3+4-Methylphenol
Aqueous/Solid	EPA 8270D	GC-MS	3-Nitroaniline
Aqueous/Solid	EPA 8270D	GC-MS	4,6-Dinitro-2-methylphenol
Aqueous/Solid	EPA 8270D	GC-MS	4-Bromophenyl-phenylether
Aqueous/Solid	EPA 8270D	GC-MS	4-Chloro-3-methylphenol
Aqueous/Solid	EPA 8270D	GC-MS	4-Chloroaniline
Aqueous/Solid	EPA 8270D	GC-MS	4-Chlorophenyl-phenylether
Aqueous/Solid	EPA 8270D	GC-MS	4-Nitroaniline
Aqueous/Solid	EPA 8270D	GC-MS	4-Nitrophenol
Aqueous/Solid	EPA 8270D	GC-MS	Acenaphthene
Aqueous/Solid	EPA 8270D	GC-MS	Acenaphthylene
Aqueous/Solid	EPA 8270D	GC-MS	Acetophenone
Aqueous/Solid	EPA 8270D	GC-MS	Anthracene
Aqueous/Solid	EPA 8270D	GC-MS	Atrazine
Aqueous/Solid	EPA 8270D	GC-MS	Benzaldehyde
Aqueous/Solid	EPA 8270D	GC-MS	Benzidine
Aqueous/Solid	EPA 8270D	GC-MS	Benzo(a)anthracene
Aqueous/Solid	EPA 8270D	GC-MS	Benzo(a)pyrene
Aqueous/Solid	EPA 8270D	GC-MS	Benzo(b)fluoranthene
Aqueous/Solid	EPA 8270D	GC-MS	Benzo(g,h,i)perylene
Aqueous/Solid	EPA 8270D	GC-MS	Benzo(k)fluoranthene
Aqueous/Solid	EPA 8270D	GC-MS	Benzoic acid
Aqueous/Solid	EPA 8270D	GC-MS	Benzyl alcohol
Aqueous/Solid	EPA 8270D	GC-MS	Biphenyl
Aqueous/Solid	EPA 8270D	GC-MS	Bis(-2-chloroethoxy)methane
Aqueous/Solid	EPA 8270D	GC-MS	Bis(2-chloroethyl)ether
Aqueous/Solid	EPA 8270D	GC-MS	Bis(2-ethylhexyl)phthalate
Aqueous/Solid	EPA 8270D	GC-MS	Butyl benzyl phthalate



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8270D	GC-MS	Caprolactam
Aqueous/Solid	EPA 8270D	GC-MS	Carbazole
Aqueous/Solid	EPA 8270D	GC-MS	Chrysene
Aqueous/Solid	EPA 8270D	GC-MS	Dibenzo(a,h)anthracene
Aqueous/Solid	EPA 8270D	GC-MS	Dibenzofuran
Aqueous/Solid	EPA 8270D	GC-MS	Diethylphthalate
Aqueous/Solid	EPA 8270D	GC-MS	Dimethyl phthalate
Aqueous/Solid	EPA 8270D	GC-MS	Di-n-butylphthalate
Aqueous/Solid	EPA 8270D	GC-MS	Di-n-octyl phthalate
Aqueous/Solid	EPA 8270D	GC-MS	Fluoranthene
Aqueous/Solid	EPA 8270D	GC-MS	Fluorene
Aqueous/Solid	EPA 8270D	GC-MS	Hexachlorobenzene
Aqueous/Solid	EPA 8270D	GC-MS	Hexachlorobutadiene
Aqueous/Solid	EPA 8270D	GC-MS	Hexachlorocyclopentadiene
Aqueous/Solid	EPA 8270D	GC-MS	Hexachloroethane
Aqueous/Solid	EPA 8270D	GC-MS	Indeno(1,2,3-cd)pyrene
Aqueous/Solid	EPA 8270D	GC-MS	Isophorone
Aqueous/Solid	EPA 8270D	GC-MS	Naphthalene
Aqueous/Solid	EPA 8270D	GC-MS	Nitrobenzene
Aqueous/Solid	EPA 8270D	GC-MS	N-nitrosodiethylamine
Aqueous/Solid	EPA 8270D	GC-MS	N-nitrosodimethylamine
Aqueous/Solid	EPA 8270D	GC-MS	N-nitroso-di-n-propylamine
Aqueous/Solid	EPA 8270D	GC-MS	N-nitrosodiphenylamine
Aqueous/Solid	EPA 8270D	GC-MS	Pentachlorophenol
Aqueous/Solid	EPA 8270D	GC-MS	Phenanthrene
Aqueous/Solid	EPA 8270D	GC-MS	Phenol
Aqueous/Solid	EPA 8270D	GC-MS	Pyrene
Aqueous/Solid	EPA 9034	Titration	Sulfide, Acid Soluble
Aqueous/Solid	HPLC-METACID	HPLC	Acetic Acid
Aqueous/Solid	HPLC-METACID	HPLC	Butanoic Acid (Butyric Acid)
Aqueous/Solid	HPLC-METACID	HPLC	Lactic Acid
Aqueous/Solid	HPLC-METACID	HPLC	Propionic Acid
Aqueous/Solid	HPLC-METACID	HPLC	Pyruvic Acid



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

ALS Environmental-Rochester

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Contact Name: Vicky Collom Phone: 585-288-5380

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	(ALS SOP)	SPE Extraction	1,4-Dioxane
Aqueous	EPA 3005A	Acid Digestion	Hot Plate
Aqueous	EPA 3010A	Acid Digestion	Metals prep
Aqueous	EPA 3510C	SF Extraction	Semivolatiles, pesticides, PCBs, DRO
Aqueous	EPA 5030B	P&T	Volatiles
Solid	EPA 3050B	Acid Digestion	Metals prep
Solid	EPA 3060A	Digestion	Hexavalent chromium digestion
Solid	EPA 3541	SOX Extraction	Semivolatiles, pesticides, PCBs, DRO
Solid	EPA 5035	P&T closed	Volatiles
Aqueous/Solid	EPA 3620B	Florisil Cleanup	Semivolatiles, pesticides, PCBs
Aqueous/Solid	EPA 3660B	Sulfur Cleanup	Semivolatiles, pesticides, PCBs
Aqueous/Solid	EPA 3665A	Sulfuric Acid Cleanup	PCBs
Aqueous/Solid	EPA 9030B	Distillation	Sulfide, Acid Soluble